

In the *National Marine Sanctuary Act* (as amended in 2000) Congress found that:

- national marine sanctuaries managed as the

National Marine Sanctuary System will -

(A) improve the conservation, understanding, management, and wise and sustainable use of marine resources;

(B) enhance public awareness, understanding, and appreciation of the marine environment; and (C) maintain for future generations the habitat, and the ecological services, of the natural assemblage of living resources that inhabit these areas.

National Marine Sanctuary Act (as amended in 2000) Congress found that among the "Purposes and Policies" of the Act - Congress directed the NMSS to:

(6) to facilitate to the extent compatible with the primary objective of resource protection, all public and private uses of the resources of these marine areas not prohibited pursuant to other authorities;

Definition of a Marine Protected Area:

Defined by the IUCN (The World Conservation Union) as:


"any area of intertidal or subtidal terrain, together with its overlying water and associated flora, fauna, historical and cultural features, which has been reserved by law or other effective means to protect part or all of the enclosed environment."

Reference: Guidelines for Establishing Marine Protected Areas (Kelleher/Kenchington, 1991)


National Marine Sanctuaries are MPAs


- Multiple-use program
- Recreational and commercial uses
- Primary objective is resource protection
- A challenging opportunity for managers





















































































Zoning - A management tool used to protect specific sensitive resources or areas, and/or to control conflicting uses. This tool can used to protect sensitive resources or separate activities that cause user conflict.

Reserves - Areas where use and extraction is restricted in order to preserve, enhance, or restore ecological resources, biodiversity and natural processes (aka no-take zones, fully protected areas).




FKNMS Draft Management Plan 1995

- 6% Fully Protected
- Approved by SAC
- 3 Reserves
- Opposition
- Controversial
- · Process flawed













































Participation

- Established an advisory working group
- Included stakeholder leadership
- Diversified stakeholder representation
- · Included all fishery & resource managers
- Maintained an integrated working group
- Involved the general public






Process

- Used open, flexible & adaptive process
- Used neutral facilitator
- Established ground rules for the process
- Identified goals & objectives
- Agreed on site selection criteria
- Engaged the public; held public forums
- Listened to & valued stakeholder input
- Strived for highest level of consensus



Science

- Used science to drive the process / forums
- Didn't pre-determine: precise location; size; or % area for reserve delayed drawing lines
- Used natural sciences (ecology, biology, geology & oceanography)
- Used socio-economic sciences (map of uses/GIS)
- · Established baseline monitoring




















































































































































Fish Movement Results

- Adult spillover occurs, even in small reserves
- Connectivity is a function of species range of movement
- Contribution of adult reproduction to spillover has yet to be evaluated

Messages from Around the World

- Even small marine reserves exhibit effects in relatively short periods of time
- Short-term responses are not always as predicted, especially in ecosystems with complex food webs
- Restoration of ecological integrity requires more time
- Spillover potential improves in larger reserves and when multiple reserves are established in close proximity







"It is important to scientific study and to the health and sanity of man, that there be preserved some unique areas to observe nature's continuing evolution; the grandeur and peace of nature." **Samuel H. Ordway, Jr.**

